



Markup Validation Service

Check the markup (HTML, XHTML, ...) of Web documents

Jump To: [Congratulations](#) · [Icons](#)

This document was successfully checked as XHTML 1.0 Strict!

Result:	Passed	
Address :	<input type="text" value="http://kms319.aisites.com/CitySite/index.htm"/>	
Encoding :	iso-8859-1	(detect automatically) <input type="checkbox"/>
Doctype :	XHTML 1.0 Strict	(detect automatically) <input type="checkbox"/>
Root Element:	html	
Root Namespace:	http://www.w3.org/1999/xhtml	



The W3C validators rely on community support for hosting and development.

[Donate](#) and help us build better tools for a better web.

Options

- Show Source Show Outline List Messages Sequentially Group Error Messages by Type
- Validate error pages Verbose Output Clean up Markup with HTML Tidy

[Help](#) on the options is available.

[Revalidate](#)

Congratulations

The document located at <http://kms319.aisites.com/CitySite/index.htm> was successfully checked as XHTML 1.0 Strict. This means that the resource in question identified itself as "XHTML 1.0 Strict" and that we successfully performed a formal validation using an SGML,

HTML5 and/or XML Parser(s) (depending on the markup language used).

"valid" Icon(s) on your Web page

To show your readers that you have taken the care to create an interoperable Web page, you may display this icon on any page that validates. Here is the HTML you could use to add this icon to your Web page:



```
<p>  
<a href="http://validator.w3.org/check?uri=referer"></a>  
</p>
```



```
<p>  
<a href="http://validator.w3.org/check?uri=referer"></a>  
</p>
```

A [full list](#) of icons, with links to alternate formats and colors, is available: If you like, you can download a copy of the icons to keep in your local web directory, and change the HTML fragment above to reference your local image rather than the one on this server.

Linking to this result

If you would like to create a link to *this* page (i.e., this validation result) to make it easier to revalidate this page in the future or to allow others to validate your page, the URI is <http://validator.w3.org/check?uri=http%3A%2F%2Fkms319.aisites.com%2FCitySite%2Findex.htm> (or you can just add the current page to your bookmarks or hotlist).

Validating CSS Style Sheets

If you use [CSS](#) in your document, you can [check it](#) using the W3C [CSS Validation Service](#).

[↑ TOP](#)

[Home](#) [About...](#) [News](#) [Docs](#) [Help & FAQ](#) [Feedback](#) [Contribute](#)



This service runs the W3C Markup Validator, [v0.8.5](#).
COPYRIGHT © 1994-2009 W3C® (MIT, ERCIM, KEIO), ALL RIGHTS RESERVED. W3C LIABILITY, TRADEMARK, DOCUMENT USE AND SOFTWARE LICENSING RULES APPLY. YOUR INTERACTIONS WITH THIS SITE ARE IN ACCORDANCE WITH OUR [PUBLIC](#) AND [MEMBER](#) PRIVACY STATEMENTS.





Markup Validation Service

Check the markup (HTML, XHTML, ...) of Web documents

Jump To: [Congratulations](#) · [Icons](#)

This document was successfully checked as XHTML 1.0 Strict!

Result:	Passed	
Address :	<input type="text" value="http://kms319.aisites.com/CitySite/market.htm"/>	
Encoding :	iso-8859-1	(detect automatically) <input type="checkbox"/>
Doctype :	XHTML 1.0 Strict	(detect automatically) <input type="checkbox"/>
Root Element:	html	
Root Namespace:	http://www.w3.org/1999/xhtml	



The W3C validators are hosted on server technology donated by HP, and supported by community donations.

[Donate](#) and help us build better tools for a better web.

Options

- Show Source Show Outline List Messages Sequentially Group Error Messages by Type
- Validate error pages Verbose Output Clean up Markup with HTML Tidy

[Help](#) on the options is available.

[Revalidate](#)


Congratulations

The document located at <http://kms319.aisites.com/CitySite/market.htm> was successfully checked as XHTML 1.0 Strict. This means that the resource in question identified itself as "XHTML 1.0 Strict" and that we successfully performed a formal

validation using an SGML, HTML5 and/or XML Parser(s) (depending on the markup language used).

"valid" Icon(s) on your Web page

To show your readers that you have taken the care to create an interoperable Web page, you may display this icon on any page that validates. Here is the HTML you could use to add this icon to your Web page:



```
<p>  
<a href="http://validator.w3.org/check?uri=referer"></a>  
</p>
```



```
<p>  
<a href="http://validator.w3.org/check?uri=referer"></a>  
</p>
```

A [full list](#) of icons, with links to alternate formats and colors, is available: If you like, you can download a copy of the icons to keep in your local web directory, and change the HTML fragment above to reference your local image rather than the one on this server.

Linking to this result

If you would like to create a link to *this* page (i.e., this validation result) to make it easier to revalidate this page in the future or to allow others to validate your page, the URI is <http://validator.w3.org/check?uri=http%3A%2F%2Fkms319.aisites.com%2FCitySite%2Fmarket.htm> (or you can just add the current page to your bookmarks or hotlist).

Validating CSS Style Sheets

If you use [CSS](#) in your document, you can [check it](#) using the W3C [CSS Validation Service](#).

↑ TOP

[Home](#) [About...](#) [News](#) [Docs](#) [Help & FAQ](#) [Feedback](#) [Contribute](#)



This service runs the W3C Markup Validator, [v0.8.5](#).
COPYRIGHT © 1994-2009 W3C® (MIT, ERCIM, KEIO), ALL RIGHTS RESERVED. W3C LIABILITY, TRADEMARK, DOCUMENT USE AND SOFTWARE LICENSING RULES APPLY. YOUR INTERACTIONS WITH THIS SITE ARE IN ACCORDANCE WITH OUR [PUBLIC](#) AND [MEMBER](#) PRIVACY STATEMENTS.





Markup Validation Service

Check the markup (HTML, XHTML, ...) of Web documents

Jump To: [Congratulations](#) · [Icons](#)

This document was successfully checked as XHTML 1.0 Strict!

Result:	Passed	
Address :	<input type="text" value="http://kms319.aisites.com/CitySite/theater.htm"/>	
Encoding :	iso-8859-1	(detect automatically) <input type="checkbox"/>
Doctype :	XHTML 1.0 Strict	(detect automatically) <input type="checkbox"/>
Root Element:	html	
Root Namespace:	http://www.w3.org/1999/xhtml	



The W3C validators rely on community support for hosting and development.

[Donate](#) and help us build better tools for a better web.

Options

- Show Source Show Outline List Messages Sequentially Group Error Messages by Type
- Validate error pages Verbose Output Clean up Markup with HTML Tidy

[Help](#) on the options is available.

[Revalidate](#)

Congratulations

The document located at <http://kms319.aisites.com/CitySite/theater.htm> was successfully checked as XHTML 1.0 Strict. This means that the resource in question identified itself as "XHTML 1.0 Strict" and that we successfully performed a formal

validation using an SGML, HTML5 and/or XML Parser(s) (depending on the markup language used).

"valid" Icon(s) on your Web page

To show your readers that you have taken the care to create an interoperable Web page, you may display this icon on any page that validates. Here is the HTML you could use to add this icon to your Web page:



```
<p>  
<a href="http://validator.w3.org/check?uri=referer"></a>  
</p>
```



```
<p>  
<a href="http://validator.w3.org/check?uri=referer"></a>  
</p>
```

A [full list](#) of icons, with links to alternate formats and colors, is available: If you like, you can download a copy of the icons to keep in your local web directory, and change the HTML fragment above to reference your local image rather than the one on this server.

Linking to this result

If you would like to create a link to *this* page (i.e., this validation result) to make it easier to revalidate this page in the future or to allow others to validate your page, the URI is <http://validator.w3.org/check?uri=http%3A%2F%2Fkms319.aisites.com%2FCitySite%2Ftheater.htm> (or you can just add the current page to your bookmarks or hotlist).

Validating CSS Style Sheets

If you use [CSS](#) in your document, you can [check it](#) using the W3C [CSS Validation Service](#).

↑ TOP

[Home](#) [About...](#) [News](#) [Docs](#) [Help & FAQ](#) [Feedback](#) [Contribute](#)



This service runs the W3C Markup Validator, [v0.8.5](#).
COPYRIGHT © 1994-2009 W3C® (MIT, ERCIM, KEIO), ALL RIGHTS RESERVED. W3C LIABILITY, TRADEMARK, DOCUMENT USE AND SOFTWARE LICENSING RULES APPLY. YOUR INTERACTIONS WITH THIS SITE ARE IN ACCORDANCE WITH OUR PUBLIC AND MEMBER PRIVACY STATEMENTS.





Markup Validation Service

Check the markup (HTML, XHTML, ...) of Web documents

Jump To: [Congratulations](#) · [Icons](#)

This document was successfully checked as XHTML 1.0 Strict!

Result:	Passed		
Address:	<input type="text" value="http://kms319.aisites.com/CitySite/quiltmuseum.h"/>		
Encoding:	iso-8859-1	(detect automatically)	<input type="checkbox"/>
Doctype:	XHTML 1.0 Strict	(detect automatically)	<input type="checkbox"/>
Root Element:	html		
Root Namespace:	http://www.w3.org/1999/xhtml		



The W3C validators are hosted on server technology donated by HP, and supported by community donations.

[Donate](#) and help us build better tools for a better web.

Options

- Show Source Show Outline List Messages Sequentially Group Error Messages by Type
- Validate error pages Verbose Output Clean up Markup with HTML Tidy

[Help](#) on the options is available.

[Revalidate](#)

Congratulations

The document located at <http://kms319.aisites.com/CitySite/quiltmuseum.htm> was successfully checked as XHTML 1.0 Strict. This means that the resource in question

identified itself as "XHTML 1.0 Strict" and that we successfully performed a formal validation using an SGML, HTML5 and/or XML Parser(s) (depending on the markup language used).

"valid" Icon(s) on your Web page

To show your readers that you have taken the care to create an interoperable Web page, you may display this icon on any page that validates. Here is the HTML you could use to add this icon to your Web page:



```
<p>  
<a href="http://validator.w3.org/check?uri=referer"></a>  
</p>
```



```
<p>  
<a href="http://validator.w3.org/check?uri=referer"></a>  
</p>
```

A [full list](#) of icons, with links to alternate formats and colors, is available: If you like, you can download a copy of the icons to keep in your local web directory, and change the HTML fragment above to reference your local image rather than the one on this server.

Linking to this result

If you would like to create a link to *this* page (i.e., this validation result) to make it easier to revalidate this page in the future or to allow others to validate your page, the URI is <http://validator.w3.org/check?uri=http%3A%2F%2Fkms319.aisites.com%2FCitySite%2Fquiltmuseum.htm> (or you can just add the current page to your bookmarks or hotlist).

Validating CSS Style Sheets

If you use [CSS](#) in your document, you can [check it](#) using the W3C [CSS Validation Service](#).

[↑ TOP](#)

[Home](#) [About...](#) [News](#) [Docs](#) [Help & FAQ](#) [Feedback](#) [Contribute](#)



This service runs the W3C Markup Validator, [v0.8.5](#).
COPYRIGHT © 1994-2009 W3C® (MIT, ERCIM, KEIO), ALL RIGHTS
RESERVED. W3C LIABILITY, TRADEMARK, DOCUMENT USE AND
SOFTWARE LICENSING RULES APPLY. YOUR INTERACTIONS WITH
THIS SITE ARE IN ACCORDANCE WITH OUR [PUBLIC](#) AND [MEMBER](#) PRIVACY STATEMENTS.





Markup Validation Service

Check the markup (HTML, XHTML, ...) of Web documents

Jump To: [Congratulations](#) · [Icons](#)

This document was successfully checked as XHTML 1.0 Strict!

Result:	Passed	
Address:	<input type="text" value="http://kms319.aisites.com/CitySite/amishhouse.htm"/>	
Encoding:	iso-8859-1	(detect automatically) <input type="checkbox"/>
Doctype:	XHTML 1.0 Strict	(detect automatically) <input type="checkbox"/>
Root Element:	html	
Root Namespace:	http://www.w3.org/1999/xhtml	



The W3C validators rely on community support for hosting and development.

[Donate](#) and help us build better tools for a better web.

Options

- Show Source Show Outline List Messages Sequentially Group Error Messages by Type
- Validate error pages Verbose Output Clean up Markup with HTML Tidy

[Help](#) on the options is available.

[Revalidate](#)

Congratulations

The document located at <http://kms319.aisites.com/CitySite/amishhouse.htm> was successfully checked as XHTML 1.0 Strict. This means that the resource in question

identified itself as "XHTML 1.0 Strict" and that we successfully performed a formal validation using an SGML, HTML5 and/or XML Parser(s) (depending on the markup language used).

"valid" Icon(s) on your Web page

To show your readers that you have taken the care to create an interoperable Web page, you may display this icon on any page that validates. Here is the HTML you could use to add this icon to your Web page:



```
<p>  
<a href="http://validator.w3.org/check?uri=referer"></a>  
</p>
```



```
<p>  
<a href="http://validator.w3.org/check?uri=referer"></a>  
</p>
```

A [full list](#) of icons, with links to alternate formats and colors, is available: If you like, you can download a copy of the icons to keep in your local web directory, and change the HTML fragment above to reference your local image rather than the one on this server.

Linking to this result

If you would like to create a link to *this* page (i.e., this validation result) to make it easier to revalidate this page in the future or to allow others to validate your page, the URI is <http://validator.w3.org/check?uri=http%3A%2F%2Fkms319.aisites.com%2FCitySite%2Famishhouse.htm> (or you can just add the current page to your bookmarks or hotlist).

Validating CSS Style Sheets

If you use [CSS](#) in your document, you can [check it](#) using the W3C [CSS Validation Service](#).

[↑ TOP](#)

[Home](#) [About...](#) [News](#) [Docs](#) [Help & FAQ](#) [Feedback](#) [Contribute](#)



This service runs the W3C Markup Validator, [v0.8.5](#).
COPYRIGHT © 1994-2009 W3C® (MIT, ERCIM, KEIO), ALL RIGHTS
RESERVED. W3C LIABILITY, TRADEMARK, DOCUMENT USE AND
SOFTWARE LICENSING RULES APPLY. YOUR INTERACTIONS WITH
THIS SITE ARE IN ACCORDANCE WITH OUR [PUBLIC](#) AND [MEMBER](#) PRIVACY STATEMENTS.





Markup Validation Service

Check the markup (HTML, XHTML, ...) of Web documents

Jump To: [Congratulations](#) · [Icons](#)

This document was successfully checked as XHTML 1.0 Strict!

Result:	Passed	
Address:	<input type="text" value="http://kms319.aisites.com/CitySite/herrhouse.htm"/>	
Encoding:	iso-8859-1	(detect automatically) <input type="checkbox"/>
Doctype:	XHTML 1.0 Strict	(detect automatically) <input type="checkbox"/>
Root Element:	html	
Root Namespace:	http://www.w3.org/1999/xhtml	



The W3C validators are hosted on server technology donated by HP, and supported by community donations.

[Donate](#) and help us build better tools for a better web.

Options

- Show Source Show Outline List Messages Sequentially Group Error Messages by Type
- Validate error pages Verbose Output Clean up Markup with HTML Tidy

[Help](#) on the options is available.

[Revalidate](#)

Congratulations

The document located at <http://kms319.aisites.com/CitySite/herrhouse.htm> was successfully checked as XHTML 1.0 Strict. This means that the resource in question

identified itself as "XHTML 1.0 Strict" and that we successfully performed a formal validation using an SGML, HTML5 and/or XML Parser(s) (depending on the markup language used).

"valid" Icon(s) on your Web page

To show your readers that you have taken the care to create an interoperable Web page, you may display this icon on any page that validates. Here is the HTML you could use to add this icon to your Web page:

```
<p>  
<a href="http://validator.w3.org/check?uri=referer"></a>  
</p>
```

```
<p>  
<a href="http://validator.w3.org/check?uri=referer"></a>  
</p>
```

A [full list](#) of icons, with links to alternate formats and colors, is available: If you like, you can download a copy of the icons to keep in your local web directory, and change the HTML fragment above to reference your local image rather than the one on this server.

Linking to this result

If you would like to create a link to *this* page (i.e., this validation result) to make it easier to revalidate this page in the future or to allow others to validate your page, the URI is <http://validator.w3.org/check?uri=http%3A%2F%2Fkms319.aisites.com%2FCitySite%2Fherrhouse.htm> (or you can just add the current page to your bookmarks or hotlist).

Validating CSS Style Sheets

If you use [CSS](#) in your document, you can [check it](#) using the W3C [CSS Validation Service](#).

[↑ TOP](#)

[Home](#) [About...](#) [News](#) [Docs](#) [Help & FAQ](#) [Feedback](#) [Contribute](#)



This service runs the W3C Markup Validator, [v0.8.5](#).
COPYRIGHT © 1994-2009 W3C® (MIT, ERCIM, KEIO), ALL RIGHTS
RESERVED. W3C LIABILITY, TRADEMARK, DOCUMENT USE AND
SOFTWARE LICENSING RULES APPLY. YOUR INTERACTIONS WITH
THIS SITE ARE IN ACCORDANCE WITH OUR [PUBLIC](#) AND [MEMBER](#) PRIVACY STATEMENTS.





Markup Validation Service

Check the markup (HTML, XHTML, ...) of Web documents

Jump To: [Congratulations](#) · [Icons](#)

This document was successfully checked as XHTML 1.0 Strict!

Result:	Passed	
Address:	<input type="text" value="http://kms319.aisites.com/CitySite/recommend.htm"/>	
Encoding:	iso-8859-1	(detect automatically) <input type="checkbox"/>
Doctype:	XHTML 1.0 Strict	(detect automatically) <input type="checkbox"/>
Root Element:	html	
Root Namespace:	http://www.w3.org/1999/xhtml	



The W3C validators rely on community support for hosting and development.

[Donate](#) and help us build better tools for a better web.

Options

- Show Source Show Outline List Messages Sequentially Group Error Messages by Type
- Validate error pages Verbose Output Clean up Markup with HTML Tidy

[Help](#) on the options is available.

[Revalidate](#)

Congratulations

The document located at <http://kms319.aisites.com/CitySite/recommend.htm> was successfully checked as XHTML 1.0 Strict. This means that the resource in question

identified itself as "XHTML 1.0 Strict" and that we successfully performed a formal validation using an SGML, HTML5 and/or XML Parser(s) (depending on the markup language used).

"valid" Icon(s) on your Web page

To show your readers that you have taken the care to create an interoperable Web page, you may display this icon on any page that validates. Here is the HTML you could use to add this icon to your Web page:

```
<p>  
<a href="http://validator.w3.org/check?uri=referer"></a>  
</p>
```

```
<p>  
<a href="http://validator.w3.org/check?uri=referer"></a>  
</p>
```

A [full list](#) of icons, with links to alternate formats and colors, is available: If you like, you can download a copy of the icons to keep in your local web directory, and change the HTML fragment above to reference your local image rather than the one on this server.

Linking to this result

If you would like to create a link to *this* page (i.e., this validation result) to make it easier to revalidate this page in the future or to allow others to validate your page, the URI is <http://validator.w3.org/check?uri=http%3A%2F%2Fkms319.aisites.com%2FCitySite%2Frecommend.htm> (or you can just add the current page to your bookmarks or hotlist).

Validating CSS Style Sheets

If you use [CSS](#) in your document, you can [check it](#) using the W3C [CSS Validation Service](#).

[↑ TOP](#)

[Home](#) [About...](#) [News](#) [Docs](#) [Help & FAQ](#) [Feedback](#) [Contribute](#)



This service runs the W3C Markup Validator, [v0.8.5](#).
COPYRIGHT © 1994-2009 W3C® (MIT, ERCIM, KEIO), ALL RIGHTS
RESERVED. W3C LIABILITY, TRADEMARK, DOCUMENT USE AND
SOFTWARE LICENSING RULES APPLY. YOUR INTERACTIONS WITH
THIS SITE ARE IN ACCORDANCE WITH OUR [PUBLIC](#) AND [MEMBER](#) PRIVACY STATEMENTS.





Markup Validation Service

Check the markup (HTML, XHTML, ...) of Web documents

Jump To: [Congratulations](#) · [Icons](#)

This document was successfully checked as XHTML 1.0 Strict!

Result:	Passed	
Address :	<input type="text" value="http://kms319.aisites.com/CitySite/thanks.htm"/>	
Encoding :	iso-8859-1	(detect automatically) <input type="checkbox"/>
Doctype :	XHTML 1.0 Strict	(detect automatically) <input type="checkbox"/>
Root Element:	html	
Root Namespace:	http://www.w3.org/1999/xhtml	



The W3C validators rely on community support for hosting and development.

[Donate](#) and help us build better tools for a better web.

Options

- Show Source Show Outline List Messages Sequentially Group Error Messages by Type
- Validate error pages Verbose Output Clean up Markup with HTML Tidy

[Help](#) on the options is available.

[Revalidate](#)

Congratulations

The document located at <http://kms319.aisites.com/CitySite/thanks.htm> was successfully checked as XHTML 1.0 Strict. This means that the resource in question identified itself as "XHTML 1.0 Strict" and that we successfully performed a formal

validation using an SGML, HTML5 and/or XML Parser(s) (depending on the markup language used).

"valid" Icon(s) on your Web page

To show your readers that you have taken the care to create an interoperable Web page, you may display this icon on any page that validates. Here is the HTML you could use to add this icon to your Web page:



```
<p>  
<a href="http://validator.w3.org/check?uri=referer"></a>  
</p>
```



```
<p>  
<a href="http://validator.w3.org/check?uri=referer"></a>  
</p>
```

A [full list](#) of icons, with links to alternate formats and colors, is available: If you like, you can download a copy of the icons to keep in your local web directory, and change the HTML fragment above to reference your local image rather than the one on this server.

Linking to this result

If you would like to create a link to *this* page (i.e., this validation result) to make it easier to revalidate this page in the future or to allow others to validate your page, the URI is <http://validator.w3.org/check?uri=http%3A%2F%2Fkms319.aisites.com%2FCitySite%2Fthanks.htm> (or you can just add the current page to your bookmarks or hotlist).

Validating CSS Style Sheets

If you use [CSS](#) in your document, you can [check it](#) using the W3C [CSS Validation Service](#).

[↑ TOP](#)

[Home](#) [About...](#) [News](#) [Docs](#) [Help & FAQ](#) [Feedback](#) [Contribute](#)



This service runs the W3C Markup Validator, [v0.8.5](#).
COPYRIGHT © 1994-2009 W3C® (MIT, ERCIM, KEIO), ALL RIGHTS RESERVED. W3C LIABILITY, TRADEMARK, DOCUMENT USE AND SOFTWARE LICENSING RULES APPLY. YOUR INTERACTIONS WITH THIS SITE ARE IN ACCORDANCE WITH OUR [PUBLIC](#) AND [MEMBER](#) PRIVACY STATEMENTS.





Markup Validation Service

Check the markup (HTML, XHTML, ...) of Web documents

Jump To: [Validation Output](#)

Errors found while checking this document as XHTML 1.0 Strict!

Result:	5 Errors, 5 warning(s)	
Address :	<input type="text" value="http://kms319.aisites.com/CitySite/credits.htm"/>	
Encoding :	iso-8859-1	(detect automatically) <input type="checkbox"/>
Doctype :	XHTML 1.0 Strict	(detect automatically) <input type="checkbox"/>
Root Element:	html	
Root Namespace:	http://www.w3.org/1999/xhtml	



The W3C validators rely on community support for hosting and development.

[Donate](#) and help us build better tools for a better web.

Options

- Show Source
- Show Outline
- List Messages Sequentially
- Group Error Messages by Type
- Validate error pages
- Verbose Output
- Clean up Markup with HTML Tidy

[Help](#) on the options is available.

[Revalidate](#)

[↑ TOP](#)

Validation Output: 5 Errors

⚠ Line 119, Column 61: cannot generate system identifier for general entity "id"



```
...tp://www.sxc.hu/browse.phtml?f=view&.id=1062712" onclick="window.open(this.hre
```

An entity reference was found in the document, but there is no reference by that name defined. Often this is caused by misspelling the reference name, unencoded ampersands, or by leaving off the trailing semicolon (;). **The most common cause of this error is unencoded ampersands in URLs** as described by the [WDG](#) in "[Ampersands in URLs](#)".

Entity references start with an ampersand (&) and end with a semicolon (;). If you want to use a literal ampersand in your document you must encode it as "&" (*even inside URLs!*). Be careful to end entity references with a semicolon or your entity reference may get interpreted in connection with the following text. Also keep in mind that named entity references are case-sensitive; &Aelig; and æ are different characters.


If this error appears in some markup generated by PHP's session handling code, [this article](#) has explanations and solutions to your problem.

Note that in most documents, errors related to entity references will trigger up to 5 separate messages from the Validator. Usually these will all disappear when the original problem is fixed.

 **Line 119, Column 61: general entity "id" not defined and no default entity**

```
...tp://www.sxc.hu/browse.phtml?f=view&.id=1062712" onclick="window.open(this.hre
```

This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.

 **Line 119, Column 63: reference not terminated by REFC delimiter**

```
...://www.sxc.hu/browse.phtml?f=view&id=.1062712" onclick="window.open(this.href,
```

If you meant to include an entity that starts with "&", then you should terminate it with ";". Another reason for this error message is that you inadvertently created an entity by failing to escape an "&" character just before this text.

 **Line 119, Column 63: reference to external entity in attribute value**

```
...://www.sxc.hu/browse.phtml?f=view&id=1062712" onclick="window.open(this.href,
```

This is generally the sign of an ampersand that was not properly escaped for inclusion in an attribute, in a href for example. You will need to escape all instances of '&' into '&'.

 **Line 119, Column 63: reference to entity "id" for which no system identifier could be generated**

```
...://www.sxc.hu/browse.phtml?f=view&id=1062712" onclick="window.open(this.href,
```

This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.


 **Line 119, Column 59: entity was defined here**

```
...http://www.sxc.hu/browse.phtml?f=vie&id=1062712" onclick="window.open(this.h
```

 **Line 125, Column 62: reference not terminated by REFC delimiter**


```
...://www.sxc.hu/browse.phtml?f=view&id=1169859" onclick="window.open(this.href,
```


If you meant to include an entity that starts with "&", then you should terminate it with ";". Another reason for this error message is that you inadvertently created an entity by failing to escape an "&" character just before this text.

 **Line 125, Column 62: reference to external entity in attribute value**

```
...://www.sxc.hu/browse.phtml?f=view&id=1169859" onclick="window.open(this.href,
```

This is generally the sign of an ampersand that was not properly escaped for inclusion in an attribute, in a href for example. You will need to escape all instances of '&' into '&'.

 **Line 125, Column 62: reference to entity "id" for which no system identifier could be generated**


...://www.sxc.hu/browse.phtml?f=view&id=1169859" onclick="window.open(this.href, 

This is usually a cascading error caused by a an undefined entity reference or use of an unencoded ampersand (&) in an URL or body text. See the previous message for further details.


 **Line 119, Column 59: entity was defined here**

...http://www.sxc.hu/browse.phtml?f=vie&id=1062712" onclick="window.open(this.h

 **Line 119, Column 62: XML Parsing Error: EntityRef: expecting ';'.**

...p://www.sxc.hu/browse.phtml?f=view&i&id=1062712" onclick="window.open(this.href 

 **Line 125, Column 61: XML Parsing Error: EntityRef: expecting ';'.**

...p://www.sxc.hu/browse.phtml?f=view&i&id=1169859" onclick="window.open(this.href 

[↑ TOP](#)

[Home](#) [About...](#) [News](#) [Docs](#) [Help & FAQ](#) [Feedback](#) [Contribute](#)



This service runs the W3C Markup Validator, [v0.8.5](#).
COPYRIGHT © 1994-2009 W3C® (MIT, ERCIM, KEIO), ALL RIGHTS
RESERVED. W3C LIABILITY, TRADEMARK, DOCUMENT USE AND
SOFTWARE LICENSING RULES APPLY. YOUR INTERACTIONS WITH THIS
SITE ARE IN ACCORDANCE WITH OUR PUBLIC AND MEMBER PRIVACY STATEMENTS.



